



Educational and Commercial Products



midwest FOLDING
PRODUCTS
A SAGUS INTERNATIONAL COMPANY

STANDARD LAMINATE FINISHES



PREMIUM LAMINATE FINISHES
(Available at additional Cost)




STANDARD METAL FINISHES 



PREMIUM METAL FINISH



STANDARD VINYL EDGE FINISHES



Note: Printed colors may not accurately represent actual paint, laminate and edge colors.


Since 1947, Midwest Folding Products has combined durable product design with quality craftsmanship to deliver the best value in the industry. Starting with high quality raw materials, our fully integrated factory fashions steel, wood and plastic materials into a wide variety of institutional grade products designed to perform trouble-free for many years within the most demanding high-use environments.



A variety of steel shapes are joined using the latest in welding technology to produce high-strength, durable structures that support heavy loads under many years of constant usage. Welding personnel and robotic welding processes are certified by an independent agency to ensure consistent quality.



Table tops are surfaced with high-pressure, decorative plastic that is laminated to the substrate under pressure to create a permanent bond. Tops are then shaped to exact size and edged with vinyl bull nose T-molding or optional PermaTuff™, epoxy material may be applied when specified.



Coil steel is processed into a variety of structural shapes in a continuous process for maximum efficiency and consistent quality. Parts made from this process are used in folding tables, mobile tables, portable stages, portable risers, chair caddies and table caddies.



A wide variety of simple and complex formed steel parts are produced in a continuous process. Coil steel is de-burred and blanked to size and shape. The steel blank is then formed to final shape with progressive, precision forming dies to produce finished parts that are the exactly the same with each stroke of the automatic press.


The **midwest** Advantage



Leg braces incorporate spring loaded, case hardened steel detents for long life and fast set-up & tear-down.



1.05" diameter 14 gauge steel legs are capped with non-removable, high impact plastic glides.



Wishbone style legs feature one-piece floor to table top support and double cross bracing for maximum strength.



PermaTuff™ edge with high pressure plastic laminate backing sheet can be added to table tops to improve durability. (Available at additional cost)

Training Tables

FEATURES



- Improved comfort
- Increased seating capacity
- Enhanced appearance
- Long-term durability



PCP618M
shown with optional
modesty panel



Midwest offers six styles of training tables to suite your specific requirements. All tables feature cantilever style legs for maximum user comfort. Tabletops may be surfaced with a wide range of standard or custom high-pressure decorative plastic laminate materials. Economical vinyl bull nose molding is furnished on all models with tops utilizing 3/4" plywood or 5/8" particleboard core material. For added user comfort an attractive radius edge, applied to tops with a 1" thick MDF core material, is treated with PermaTuff™ epoxy affording an attractive and durable finish.



CTL Series

Size W x L x H	Wt Lbs	Model No
18" x 60" x 29"	59	CTL185M*
18" x 72" x 29"	67	CTL186M
18" x 96" x 29"	81	CTL188M
24" x 60" x 29"	72	CTL245M*
24" x 72" x 29"	81	CTL246M
24" x 96" x 29"	100	CTL248M

*Will not fold flat

CTLA Series

Size W x L x H	Wt Lbs	Model No
18" x 60" x 22"-29"	59	CTLA185M
18" x 72" x 22"-29"	67	CTLA186M
18" x 96" x 22"-29"	81	CTLA188M
24" x 60" x 22"-29"	72	CTLA245M
24" x 72" x 22"-29"	81	CTLA246M
24" x 96" x 22"-29"	100	CTLA248M

Height Adjustments in 1" increments

MTLA Series

Size W x L x H	Wt Lbs	Model No
24" x 60" x 25"-32"	74	MTLA245M
24" x 72" x 25"-32"	83	MTLA246M
24" x 96" x 25"-32"	102	MTLA248M

Height Adjustments in 1" increments

TL Series

Size W x L x H	Wt Lbs	Model No
18" x 60" x 29"	51	CTL185F*
18" x 72" x 29"	55	CTL186F
18" x 96" x 29"	68	CTL188F
24" x 60" x 29"	60	CTL245F*
24" x 72" x 29"	66	CTL246F
24" x 96" x 29"	80	CTL248F

*Will not fold flat

PCP Series

Size W x L x H	Wt Lbs	Model No
18" x 60" x 30"	54	PCP518M*
18" x 72" x 30"	62	PCP618M
18" x 96" x 30"	76	PCP818M
24" x 60" x 30"	66	PCP524M*
24" x 72" x 30"	76	PCP624M
24" x 96" x 30"	95	PCP824M

*Will not fold flat

CP Series

Size W x L x H	Wt Lbs	Plywood Top	Wt Lbs	Particle Board Top
18" x 60" x 30"	42	CP518EF*	38	CP518F*
18" x 72" x 30"	48	CP618EF	41	CP618F
18" x 96" x 30"	58	CP818EF	52	CP818F
24" x 60" x 30"	51	CP524EF*	46	CP524F*
24" x 72" x 30"	58	CP624EF	50	CP624F
24" x 96" x 30"	71	CP824EF	62	CP824F

*Will not fold flat

Modesty Panel



Available on CP and PCP series only
Model MP60 - 8' x 60" Model MP72 - 8' x 72" Model MP96 - 8' x 96"



Conference and Utility Tables



CV636M

Two unique styles of conference tables are available in a wide variety of shapes and sizes to fit your individual applications. Tabletops may be surfaced with a wide range of standard or custom high-pressure decorative plastic laminate materials. Economical vinyl bull nose molding is furnished on all models with tops utilizing 3/4" plywood or 5/8" particleboard core material. For added user comfort an attractive radius edge, applied to tops with a 1" thick MDF core material, is treated with PermaTuff™ epoxy affording an attractive and durable finish.



CB636M

C Series - Oval Shape

Size W x L x H	Wt Lbs	Model No
36" x 72" x 29"	97	CV636M
36" x 96" x 29"	125	CV836M
48" x 96" x 29"	159	CV848M

New



CV636M

PermaTuff™ radius edge standard on all PR Series



C Series - Boat Shape

Size W x L x H	Wt Lbs	Model No
36" x 72" x 29"	101	CB636M
36" x 96" x 29"	127	CB836M
48" x 96" x 29"	154	CB848M

New



CB636M

C Series - Rectangular Shape

Size W x L x H	Wt Lbs	Model No
36" x 72" x 29"	102	CR636M
36" x 96" x 29"	129	CR836M
48" x 96" x 29"	163	CR848M

New



CR636M

TL Fixed Height

Size W x L x H	Wt Lbs	Particle Board Core	Wt Lbs	Plywood Board Core
30" x 60" x 29"	67	TL305*	59	TL305EF*
30" x 72" x 29"	75	TL306	66	TL306EF
30" x 96" x 29"	91	TL308	79	TL308EF
36" x 72" x 29"	83	TL366	72	TL366EF
36" x 96" x 29"	102	TL368	87	TL368EF


*Tables will not fold flat for stacking.



TL306EF

TLA Adjustable Height

Size W x L x H	Wt Lbs	Particle Board Core	Wt Lbs	Plywood Board Core
30" x 60" x 22"-29"	67	TLA305	59	TLA305EF
30" x 72" x 22"-29"	75	TLA306	66	TLA306EF
30" x 96" x 22"-29"	91	TLA308	79	TLA308EF
36" x 72" x 22"-29"	83	TLA366	72	TLA366EF
36" x 96" x 22"-29"	102	TLA368	87	TLA368EF



TLA306EF

Easy Vertical Adjustments



Vertical adjustment is accomplished quickly by pulling out on the spring loaded locking pin.

Plywood Core Tables

EF Series

FEATURES

- High pressure laminate surface
- ¾" thick plywood core top
- 14 gauge, 1.05" dia. wishbone legs
- Spring-bolt locking leg braces

10
YEAR
WARRANTY



618EF



630EF



R60EF

We build these high-quality tables with a plywood core so that they will handle years of rough handling. We support our table tops with the strongest, steel channel frame and the most durable and easy to operate leg components in the industry. EF series tables will look good, while performing flawlessly longer than any table you have ever owned.



Solid 3/4" thick plywood is surfaced with high pressure plastic laminate, sealed with a backing sheet and edged with vinyl T-molding.

The **midwest** Advantage

When your table needs call for a high pressure, decorative laminate surface, Midwest's EF Series tables are your best choice. We build these high-quality tables with a plywood core so that they will handle years of rough handling. Plywood is light in weight, resistant to corner impact breakage and strong enough to support heavy loads under constant use. We support our table tops with the strongest, steel channel frame and the most durable and easy to operate leg components in the industry. EF series tables will look good, while performing flawlessly longer than any table you have ever owned.



Leg braces incorporate spring loaded, case hardened steel detents for long life and fast set-up & tear-down.








Tops are reinforced against breakage with a square corner steel frame.



Extra thick, 14 gauge steel leg construction (EF Series) stands up to heavy use without bending. Non-removable, high impact plastic leg glides protect floors.

EF Series

Table Style	Size W x L x H	Wt Lbs	Plywood Core
BANQUET 	30" x 48" x 30"	46	430EF
	30" x 60" x 30"	53	530EF
	30" x 72" x 30"	61	630EF
	30" x 96" x 30"	74	830EF
	36" x 72" x 30"	67	636EF
	36" x 96" x 30"	82	836EF
ROUND 	30" dia. x 30"	28	R30EF
	36" dia. x 30"	33	R36EF
	42" dia. x 30"	38	R42EF
	48" dia. x 30"	50	R48EF
	54" dia. x 30"	57	R54EF
	60" dia. x 30"	71	R60EF
	66" dia. x 30"	80	R66EF**
72" dia. x 30"	95	R72EF**	
SQUARE 	30" x 30" x 30"	31	SQ30EF
	36" x 36" x 30"	44	SQ36EF
 STANDARD SEMINAR	18" x 60" x 30"	37	518EF
	18" x 72" x 30"	40	618EF
	18" x 96" x 30"	52	818EF
	24" x 60" x 30"	46	524EF
	24" x 72" x 30"	50	624EF
 COMFORT LEG SEMINAR	18" x 60" x 30"	38	CP518EF
	18" x 72" x 30"	41	CP618EF
	18" x 96" x 30"	52	CP818EF
	24" x 60" x 30"	46	CP524EF
	24" x 72" x 30"	50	CP624EF
	24" x 96" x 30"	62	CP824EF



**The laminate surface on these models is made from two pieces of plastic. A seam will be visible with all top colors, however, wood grain patterns help make seams less visible. Particle board top models are covered by a 1 year limited warranty.

FEATURES






- High pressure laminate surface
- 5/8" thick particleboard core top
- 14 gauge, 1.05" dia. legs
- Spring-bolt locking leg braces



The Midwest F Series table is not just another particleboard core top folding table. We use thick, high-pressure decorative plastic laminate, not the thin vinyl and thermo fused melamine materials used by disposable commercial grade tables. Legs, utilizing 14 gauge thick steel tubing in the critical load bearing members, are much thicker and resistant to bending than other tables. Tops are supported by 16 gauge, formed steel channel frames; strongest in the market.



F Series

Table Style	Size W x L x H	Wt Lbs	Model No
SEMINAR 	18" x 60" x 29"	42	518F
	18" x 72" x 29"	49	618F
	18" x 96" x 29"	60	818F
	24" x 60" x 29"	52	524F
	24" x 72" x 29"	57	624F
	24" x 96" x 29"	72	824F
RECTANGULAR 	30" x 60" x 29"	61	3060F
	30" x 72" x 29"	70	3072F
	30" x 96" x 29"	86	3096F
	36" x 72" x 29"	78	3672F
	36" x 96" x 29"	97	3696F
ROUND 	48" dia. x 29"	58	R48F
	60" dia. x 29"	82	R60F
	72" dia. x 29"	112	R72F**
SQUARE 	30" x 30" x 29"	35	SQ30F
	36" x 36" x 29"	50	SQ36F
 COMFORT LEG SEMINAR	18" x 60" x 30"	42	CP518F
	18" x 72" x 30"	48	CP618F
	18" x 96" x 30"	58	CP818F
	24" x 60" x 30"	51	CP524F
	24" x 72" x 30"	58	CP624F
	24" x 96" x 30"	71	CP824F



**The laminate surface on these models is made from two pieces of plastic. A seam will be visible with all top colors, however, wood grain patterns help make seams less visible.

Mobile Utility Tables



Folds for compact storage



MU306EF

Mobile Utility Tables

Style	Size Dia x H	Wt Lbs	Stained Plywood Top Model No	Wt Lbs	Laminate Plywood Top Model No
Mobile Utility Table with riser shelf	30" x 72" x 30"	108	MB306E	114	MB306EF
	30" x 96" x 30"	130	MB308E	135	MB308EF
Mobile Utility Table without riser shelf	30" x 72" x 30"	86	MU306E	92	MU306EF
	30" x 96" x 30"	95	MU308E	108	MU308EF
Riser Shelf	12" x 72" x 12"	23	SB126E	23	SB126EF
	12" x 96" x 12"	27	SB128E	27	SB128EF



MB306EF

Mobile Utility Tables facilitate the display and movement of equipment, supplies, instructional materials, exhibits and classroom demonstrations throughout your facility. Ideal for use in the classroom, cafeteria, media center, gymnasium and office, mobile utility tables eliminate the need for your staff to hand-carry heavy tables. Plastic laminate tops with plywood core construction and heavy-duty steel frames, assure long-term durability.

Cafeteria Seating



B6F

B6F

Folding benches offer an economical solution for your cafeteria seating needs. Benches may be folded quickly for compact storage. The sturdy frame and heavy-duty leg design provides safe seating for adults. A durable high-pressure laminate surface stands up to many years of frequent cleaning and constant use.

Folding Benches

Size W x L x H	Wt Lbs	Model No
12" x 72" x 18"	37	B6F
12" x 96" x 18"	50	B8F

**15
YEAR
WARRANTY**

Tested and
Manufactured
to ANSI/BIFMA
Standards



R72NLW




CP618NLW




630NLW

Hexalite folding tables meet the changing needs of today's busy public assembly facilities. Our innovative construction utilizes aircraft grade, polypropylene honeycomb core material that is epoxy bonded to a durable outer shell of thermoformed ABS plastic. ABS plastic is the same material that pro football helmets are made from. Add an internal, steel channel support frame and the most durable legs found anywhere in the industry and you have a lightweight table that anyone can handle, yet it is so durable that it's backed by a 15-year warranty. This may be the last table that you will ever have to buy.













Edge Molding: black
Metal Finish: black is standard, brown is also available



The **midwest** Advantage

NLW Series

Table Style	Size W x L x H	Wt Lbs	Model No
BANQUET 	30" x 60" x 30"	39	530NLW
	30" x 72" x 30"	45	630NLW
	30" x 96" x 30"	55	830NLW
	36" x 72" x 30"	50	636NLW
	36" x 96" x 30"	62	836NLW
ROUND 	30" dia. x 30"	28	R30NLW*
	48" dia. x 30"	40	R48NLW
	60" dia. x 30"	50	R60NLW
	72" dia. x 30"	68	R72NLW
1/2 ROUND 	½ of 30" dia. x 30"	18	HR30NLW*
	½ of 48" dia. x 30"	32	HR48NLW*
	½ of 60" dia. x 30"	45	HR60NLW*
	½ of 72" dia. x 30"	56	HR72NLW*
	½ of 96" dia. x 30"	72	HR96NLW*
1/4 ROUND 	¼ of 48" dia. x 30"	19	QR48NLW*
	¼ of 60" dia. x 30"	23	QR60NLW*
	¼ of 72" dia. x 30"	29	QR72NLW*
	¼ of 96" dia. x 30"	32	QR96NLW*
SQUARE 	30" x 30" x 29"	31	SQ30NLW*
	36" x 36" x 29"	35	SQ36NLW*
SERPENTINE 	W" x A"/B x H" 30" x 30"/60" x 30"	52	S305NLW
STANDARD SEMINAR 	18" x 72" x 30"	35	618NLW
	18" x 96" x 30"	43	818NLW
	24" x 72" x 30"	39	624NLW
	24" x 96" x 30"	47	824NLW
COMFORT LEG SEMINAR 	18" x 72" x 30"	34	CP618NLW
	18" x 96" x 30"	37	CP818NLW
	24" x 72" x 30"	40	CP624NLW
	24" x 96" x 30"	49	CP824NLW

*Some table styles such as square, 1/4 round, and 1/2 round models are manufactured with solid plywood core tops, surfaced with ABS plastic and edged with vinyl molding.

- 1 The thermoformed, high-impact ABS plastic is extremely durable and stain resistant.
- 2 The thermoplastic honeycomb core utilizes a small cell, isotropic structure to deliver a high load capacity and impact resistance with the lightest weight possible.
- 3 Bonding of the outer ABS plastic skin to the honeycomb is aided by a continuous, non-woven substrate that is fused to the honeycomb core to provide a 100% bonding area for the epoxy adhesive. This construction results in maximum tensile and peel strength.
- 4 A multi-wall bumper edge molding, composed of high-impact PVC plastic, is bonded to the table's ABS top and bottom to provide five layers of protection against impact from rough handling.
- 5 Corners are protected against damage by high-impact, injection molded, PVC guards. Corner guards are reinforced with integral ribs and joined to the bumper edge molding with interlocking tenons.
- 6 Formed channels of 16-gauge steel, surround the tabletop to provide maximum support for heavy loads. No wood is used in this product!
- 7 Steel plates are epoxy bonded to the ABS plastic bottom and the honeycomb core to provide solid anchoring points for the legs and the leg brace mechanisms.
- 8 The underside of the tabletop is surfaced with thermoformed, ABS plastic to completely encase all internal core and frame members.



Leg braces incorporate spring loaded, case hardened steel detents for long life and fast set-up & tear-down.



1" diameter 16 gauge steel legs are capped with non-removable, high impact plastic glides.



Wishbone style legs feature one-piece floor to table top support and double cross bracing for maximum strength.

Table Caddies

Professional Grade



HRTC

Professional Grade Table Caddies are designed to roll long distances on concrete, tile or carpeted floors. Caddies feature 6" diameter, 1 1/2" wide, polyurethane wheel, roller bearing axle, swivel plate casters mounted to a heavy gauge welded steel frame. Crossbeams are carpeted and side rails are covered with neoprene rubber to protect tables.



HTC



Model No:	HRTC	HTEC
Size:	61"L x 31 1/2"W x 42 1/2"H	61"L x 31 1/2"W x 34 1/2"H
Weight:	66 lbs	64 lbs
Capacity:	(8) 48"-72" round tables	(8) rectangular/serpentine tables

Model No:	HTC72	HTC96
Size:	74"L x 31 1/2"W x 41 1/2"H	97 1/2"L x 31 1/2"W x 41 1/2"H
Weight:	59 lbs	70 lbs
Capacity:	(10-12) 24'/30'/36"W x 60'/72"L tables (20-24) 18"W x 72"L tables	(10-12) 24'/30'/36"W x 96'L tables (20-24) 18"W x 96'L tables

Table Caddies

Standard Grade



RTCHB

Standard Grade Table Caddies are designed for use on smooth floors. Caddies feature 4" diameter, 1 1/2" wide, hard rubber wheel, swivel stem casters mounted to a heavy gauge welded steel frame. Side rails are covered with neoprene rubber to protect tables.



RTC



Model No:	RTCHB
Size:	61"L x 31 1/2"W x 41 1/2"H
Weight:	56 lbs
Capacity:	(8) 60"-72" round tables

Model No:	RTC
Size:	49"L x 31 1/2"W x 41 1/2"H
Weight:	58 lbs
Capacity:	(8) 48"-60" round tables



TC72




TEC



Model No:	TC72
Size:	74"L x 31 1/2"W x 36 1/2"H
Weight:	57 lbs
Capacity:	(10-12) 24'/30'/36"W x 60'/72"L tables (20-24) 18"W x 72"L tables

Model No:	TC96
Size:	97 1/2" x 31 1/2" x 36 1/2"
Weight:	65 lb
Capacity:	(10-12) 24'/30'/36"W x 96' tables (20-24) 18"W x 96'L tables

Model No:	TEC
Size:	49"L x 31 1/2"W x 32 1/2"H
Weight:	49 lbs
Capacity:	(8) rectangular/serpentine tables



TWO TIER CADDY

Model No: VCT72
 Size: 66"L x 32"W x 71"H
 (84-120 capacity)
 Weight: 95 lbs



SINGLE LEVEL CADDY

Model No: ACH - For single level caddies
 Weight: 4 lbs

Model No:ACHU - For understage caddies
 Weight: 5 lbs

POLY CHAIR CADDY



Model No: CCP
 Size: 42"L x 20"W x 38"H (68 cap)
 Weight: 33 lbs

Single Level Caddies

Chair Capacity	Truck Size W x L x H	Wt. Lbs	Single Level Model No	Wt. Lbs	Understage Model No
28-30	21" x 64" x 38½"	53	CC60	44	CCU60
34-36	21" x 76" x 38½"	57	CC72	48	CCU72
40-42	21" x 88" x 38½"	66	CC84	57	CCU84
46-48	21" x 100" x 38½"	70	CC96	59	CCU96

UpperZone™ Trucks

Table Trucks



ROUND



SEMINAR



RECTANGULAR



CONSTRUCTION FEATURES

- 1½" x 3", 14 gauge, welded steel tube frame
- 1½" dia., 14 gauge end frames and handles
- Neoprene padded, inclined bed, design insures stacking stability
- 6" dia. x 2" wide, polyolefin casters (two rigid, two swivel with brakes)
- Optional towing bars with gravity storage position lock
- Designed for forklift handling



UpperZone™ Table Trucks

Truck Style	Table Size	Table Cap.		Truck Size W x L x H	Wt. Lbs	Model No
		Plywood	Light Wt.			
ROUND TABLE TRUCK	60" dia.	8	8	32" x 67" x 68"	140	STTR60N
	72" dia.	8	8	32" x 79" x 79½"	150	STTR72N
SEMINAR TABLE TRUCK	18" x 60" or 72"	16	20	32½" x 79" x 48"	150	STT1872NS
	18" x 96"	16	20	32½" x 103" x 48"	175	STT1896NS
RECTANGULAR TABLE TRUCK	30" x 72"	8	12	33" x 79" x 48"	150	STT3072NS
	30" x 96"	8	12	33" x 103" x 48"	175	STT3096NS

Larger capacity models are available upon request



TransFold™ is ready to go wherever your choir performs. Built-in wheels make it easy to roll the TransFold™ unit from the classroom to the auditorium or up stairways and on to a bus or van. Upon arrival at the performance venue your TransFold™ risers set up in seconds so that they will be ready when you are. Midwest's exclusive, gas-spring assisted design allows the unit to open with moderate foot pressure, taking the strain out of set up. This also insures a safe, controlled motion when folding the unit for transportation and storage.

Fast, Easy Set-up



BUILT-IN MOBILITY



SIMPLE UNITIZED DESIGN



GAS-SPRING LIFT ASSIST

To fold the unit for transportation and storage, activate the upright lock release and gently push the unit horizontally. The gas spring cylinder assures a safe controlled motion.




Drop-in couplings securely connect all units to prevent accidental movement during the performance.




TFR72
Standard Section

TransFold™ units are equipped with wheels to allow easy positioning during set up and tear-down. We strongly recommend that the option backrails be used for added safety. The reverse single section when alternated with two standard sections will configure a straight riser set.



TFSR72
Reverse Section

Arc Set



Straight Set



TransFold™ Risers and Accessories

Description	Size W x D x H	Wt. Lbs	Model No
72" TransFold™ unit	72"W x 55"D x 24"H	145	TFR72
72" Reverse TransFold™ unit	72"W x 55"D x 24"H	152	TFSR72
48" TransFold™ unit	48"W x 55"D x 24"H	116	TFR48
4th step add-on unit for TFR72	60"W x 18"D x 32"H	52	TFA72
4th step add-on unit for TFSR72	60"W x 18"D x 32"H	52	TFSA72
4th step add-on unit for TFR48	54"W x 18"D x 32"H	42	TFA48
Backrail for TFR72 or TFA72	70"W x 42"H	34	TFB72
Backrail for TFSR72 or TFSA72	54"W x 42"H	30	TFSB72
Backrail for TFR48 or TFA48	46"W x 42"H	25	TFB48


72" Arc and Straight Set Dimensions and Capacities

Set Type	Dimensions Capacities	1 Section	2 Sections	3 Sections	4 Sections	5 Sections	6 Sections
3 Level Arc	Width x Depth	6'-0" x 4'-8"	11'-10" x 5'-5"	17'-5" x 6'-1"	22'-6" x 7'-6"	27'-0" x 8'-9"	30'-10" x 10'-9"
3 Level Straight	Width x Depth	6'-6" x 4'-8"	11'-9" x 4'-8"	17'-6" x 4'-8"	22'-9" x 4'-8"	28'-6" x 4'-8"	33'-9" x 4'-8"
Arc and Straight	Group Capacity	12 - 16	24 - 32	36 - 48	48 - 64	60 - 80	72 - 96
4 Level Arc	Width x Depth	6'-6" x 6'-2"	12'-10" x 7'-0"	18'-10" x 7'-7"	24'-5" x 9'-2"	29'-3" x 10'-4"	33'-5" x 12'-4"
4 Level Straight	Width x Depth	6'-6" x 6'-2"	12'-0" x 6'-2"	17'-6" x 6'-2"	23'-0" x 6'-2"	28'-6" x 6'-2"	34'-0" x 6'-2"
Arc and Straight	Group Capacity	16 - 21	32 - 42	48 - 63	64 - 84	80 - 105	96 - 126

48" Arc Set Dimensions and Capacities

Set Type	Dimensions Capacities	1 Section	2 Sections	3 Sections	4 Sections	5 Sections	6 Sections
3 Level Arc	Width x Depth	4'-0" x 4'-8"	7'-11" x 5'-1"	11'-7" x 5'-5"	15'-0" x 6'-3"	18'-0" x 6'-11"	20'-7" x 8'-0"
Arc	Group Capacity	8 - 12	16 - 24	24 - 36	32 - 48	40 - 60	48 - 72
4 Level Arc	Width x Depth	4'-6" x 6'-2"	8'-11" x 6'-8"	13'-1" x 7'-0"	16'-11" x 7'-10"	20'-3" x 8'-6"	23'-2" x 9'-8"
Arc	Group Capacity	11 - 16	25 - 36	36 - 52	47 - 68	58 - 84	69 - 100



Capacities include a row of singers on the floor. The capacity numbers shown above reflect the number of high school students that will fit standing shoulder to shoulder as well as the number that will fit if standing with shoulders overlapping.



Standing Choral Risers






Modular design allows the flexibility to vary the number of levels to suit the specific needs of each performance. Heavy-duty plywood core deck construction is reinforced by a 16 gauge steel channel frame. Legs of 1.05" diameter, 14 gauge steel tubing are braced with spring-bolt locks to support the heaviest loads with complete safety. Units fold for compact storage and are conveniently stored and transported on double tier caddies.



Tapered Riser Sets

Riser Levels	People Capacity	Size L x D x H	Carpet Deck		Hardboard Deck		Polypropylene Deck	
			Wt Lbs	Model No	Wt Lbs	Model No	Wt Lbs	Model No
3	12-17	72" x 52" x 24"	121	RTRP3C	129	RTRP3H	127	RTRP3P
4	16-22	78" x 69" x 32"	172	RTRP4C	183	RTRP4H	180	RTRP4P


Back rails are recommended



Straight Riser Sets

Riser Levels	People Capacity	Size L x D x H	Carpet Deck		Hardboard Deck		Polypropylene Deck	
			Wt Lbs	Model No	Wt Lbs	Model No	Wt Lbs	Model No
3	20-26	96" x 52" x 24"	175	RSRP3C	185	RSRP3H	182	RSRP3P
4	25-32	96" x 69" x 32"	242	RSRP4C	256	RSRP4H	252	RSRP4P

Back rails are recommended



Back Rails

Size W x H	Wt Lbs	Model No	For Use With
94 3/4" x 30"	48	BRS24	RSRP3
94 3/4" x 30"	49	BRS32	RSRP4
70 3/4" x 30"	34	BRT24	RTRP3
76 3/4" x 30"	37	BRT32	RTRP4



RISER CADDY

MODEL	REC
DESCRIPTION	50" L x 32" W x 45" H
WEIGHT	42 lbs
CAPACITY	24 sections



MSW24C

One person can roll Midwest mobile stages easily from storage to the event location. Opening the stage deck automatically lifts casters from the floor to prevent movement when the stage is in use. Integral drop-in couplings allow stages to be joined together. Stages safely support a uniform load of more than 200 pounds per square foot.



From compact storage to event location, mobile stages save set-up time and increase facility flexibility.



Safety tested and listed by Underwriters Laboratories, Midwest mobile stages are safe for use by your staff and students.



For added safety our exclusive, automatic latch keeps stage decks locked vertically until you are ready to open the stage for use.

Mobile Stages

Size		Carpet Deck		Hardboard Deck		Polypropylene Deck	
D x L	Height	Wt Lbs	Model No	Wt Lbs	Model No	Wt Lbs	Model No
4' x 8'	8"	174	MS08C	161	MS08H	157	MS08P
	16"	201	MS16C	188	MS16H	185	MS16P
	24"	219	MS24C	206	MS24H	203	MS24P
	32"	233	MS32C	220	MS32H	216	MS32P
6' x 8'	8"	229	MSW08C	210	MSW08H	204	MSW08P
	16"	258	MSW16C	238	MSW16H	233	MSW16P
	24"	283	MSW24C	263	MSW24H	258	MSW24P
	32"	293	MSW32C	274	MSW32H	269	MSW32P

Portable Stages and Risers

**10
YEAR
WARRANTY**



Midwest portable stage platforms may be ordered in the same height to assemble a performing stage, or they may be ordered in up to 5 different heights to construct seated band and choral risers. Units fold to store in less than 2" in height when stacked. Dual height models allow easy conversion from seated risers to performing stages when needed. Units are constructed of heavy gauge steel and laminated plywood core decking for unsurpassed safety and durability. Shipped completely assembled.



Single Height Units


Size		Carpet Deck		Hardboard Deck		Polypropylene Deck	
D x L	Height	Wt Lbs	Model No	Wt Lbs	Model No	Wt Lbs	Model No
3' x 6'	8"	68	3608C	73	3608H	71	3608P
	16"	79	3616C	84	3616H	82	3616P
	24"	83	3624C	89	3624H	87	3624P
	32"	87	3632C	92	3632H	90	3632P
3' x 8'	8"	85	3808C	92	3808H	89	3808P
	16"	96	3816C	103	3816H	101	3816P
	24"	100	3824C	107	3824H	105	3824P
	32"	104	3832C	111	3832H	109	3832P
4' x 6'	8"	87	4608C	94	4608H	91	4608P
	16"	107	4616C	114	4616H	112	4616P
	24"	115	4624C	122	4624H	119	4624P
	8"	108	4808C	117	4808H	114	4808P
4' x 8'	16"	128	4816C	137	4816H	134	4816P
	24"	136	4824C	145	4824H	142	4824P
	32"	130	4832C	139	4832H	136	4832P
	40"	146	4840C	155	4840H	152	4840P

3' x 4' units are available upon request. Guardrails are recommended for all stages.

The **midwest** Advantage

Midwest portable stages offer solid performance at an affordable price. Stage units store in less space than any other stage on the market, yet carry over 200 pounds per square foot when uniformly loaded. Six stage units may be stored and transported on the convenient caddy. Simply unfold the legs open and rotate the stage unit to the floor. Integral, drop-in couplings allow stages to be joined together.

Drop-in Couplings




Drop-in couplings allow stage and riser sections to be joined together at the same level when set up as a stage, or to be joined at different levels when set up in a riser arrangement.

Dual Height Units

Size		Carpet Deck		Hardboard Deck		Polypropylene Deck	
D x L	Height	Wt Lbs	Model No	Wt Lbs	Model No	Wt Lbs	Model No
3' x 8'	8" or 16"	103	3808DC	110	3808DH	107	3808DP
	16" or 24"	108	3816DC	115	3816DH	113	3816DP
	24" or 32"	112	3824DC	119	3824DH	117	3824DP
	32" or 40"	119	3832DC	126	3832DH	124	3832DP
4' x 8'	8" or 16"	139	4808DC	148	4808DH	145	4808DP
	16" or 24"	145	4816DC	154	4816DH	151	4816DP
	24" or 32"	151	4824DC	160	4824DH	157	4824DP
	32" or 40"	161	4832DC	170	4832DH	167	4832DP

3' x 4', 3' x 6', 4' x 4' and 4' x 6' units are available upon request. Guardrails are recommended for all stages.

Heavy-Duty Construction



Stage and riser decks are constructed with solid plywood, laminated with tempered hardboard on top and bottom. Decks are surrounded and supported by 16 gauge formed steel channels for maximum carrying capacity.

Dual Height Models



Easy Height Adjustment




Changing heights is easy with our adjustable height mechanism. Just remove the pin, pull out the leg, flip the leg 180°, push the leg back in and re-install the holding pin on dual height models.

Portable Steps

Size L x D x H	Wt Lbs	For Use With Stage Height	Model No
36" x 14" x 8"	34	8" & 16"	ST1 (1 step)
36" x 27" x 16"	64	16" & 24"	ST2 (2 step)*
36" x 40" x 24"	91	24" & 32"	ST3 (3 step)*
36" x 52" x 32"	109	32" & 40"	ST4 (4 step)*

All steps are 12" deep by 34" wide. Steps are surfaced with slip resistant, grey polypropylene. Step units clamp securely to any area of the stage perimeter. *Includes two wheels for easy handling. Weights include handle.





C600C
Horseshoe Configuration

Portable seated riser sets enhance on-stage performances and help facilitate instruction in the practice room. Sets include all components necessary to construct horseshoe, winged and arc shaped riser configurations. Guardrails are furnished for the uppermost level of the riser set.

Expansion sections may be used to construct straight riser sets as pictured below or to increase the width and depth of horseshoe, winged and arc shaped riser configurations.




C363C

Expansion Sections

Set Type	Platform Size D x H	Hardboard Deck		Carpet Deck	
		Wt Lbs	Model	Wt Lbs	Model
Choral	36" x 96"	351	C363H	349	C363C
Band	48" x 96"	448	B483H	428	B483H

Three levels – for use at center or ends of riser sets.
Each section includes one each 8", 16" and 24" high platforms and rear guard rails.




C363C

C363C

C363C

All choral and band layouts below may be constructed from the riser set

Choral Riser Configurations




Choral Riser Base Set

Set Type	Platform Size D x H	Hardboard Deck		Carpet Deck	
		Wt Lbs	Model	Wt Lbs	Model
Choral	36" x 96"	1773	C600H	1727	C600C

Base sets include platforms and pie-shaped sections as shown and rear guard rails.

Band Riser Configurations



Band Riser Base Set

Set Type	Platform Size D x H	Hardboard Deck		Carpet Deck	
		Wt Lbs	Model	Wt Lbs	Model
Band	48" x 96"	2428	B600H	2304	B600C

Base sets include platforms and pie-shaped sections as shown and rear guard rails.

Chair Stops



Optional chair stop is easily attached to help prevent chair from shifting off the riser.

Model CS


Deck Finishes



Carpet Colors



Skirting Colors



Box Pleat Skirting

Stage Height	Skirting Height	Model No
8"	7"	SKB08
16"	15"	SKB16
24"	23"	SKB24
32"	31"	SKB32
40"	39"	SKB40


Velcro® Backing Included



Factory installed Velcro® available upon request.

Velcro®-Factory Installed

Installed on	Model No
3' x 4' portable stage	V11
3' x 8' portable stage	V13
4' x 6' portable stage	V15
4' x 8' portable stage	V16
4' x 8' mobile stage	V22
6' x 8' mobile stage	V23



midwest FOLDING PRODUCTS

A SAGUS INTERNATIONAL COMPANY
1414 S. Western Avenue • Chicago, Illinois 60608-1893
312-666-3366 • 800-621-4716 • Fax 312-666-2606
e-mail: sales@midwestfolding.com

Visit us at
www.midwestfolding.com