





TABLE OF CONTENTS



Protection and Performance Standards	3	Record Fire Cabinets	20
Guardian™ Storage Box	_4	Media Fire Cabinets	_20
NEW Vertical Water-Resistant Fire Files – 21" Deep	5	Accessories for Media Cabinet	21
Vertical Fire Files – 23" Deep	6	Lock Options – Media & Record Cabinets	21
Vertical Water-Resistant Fire Files – 25" Deep	7	Record Fire Safes	22
Vertical Water-Resistant Fire Files – 31" Deep	7	Accessories for Record Safes	22
Lock Options – 25" and 31" Deep	8	EDP Media Safes	23
Vertical Files – 25" Deep and Accessories for Letter	9	Accessories for EDP Media Safes	23
Accessories for Letter – 25" Deep	10	Lock Options – Media and Record Safes	24
Vertical Fire Files – 31" Deep	11	Vault Room Fire Resistant Doors	25
Accessories for Letter – 31" Deep	12	Accessories for Insulated Vault & File Room Doors	25
Lock Options – 25" and 31" Deep	13	Lock Options Insulated Vault & File Room Doors	2
Lateral Files – 30" Wide	14	Personal Fire Chests	27
Accessories – 30" Wide	14	Security Safes	28
Lateral Files – 36" Wide	15	Large Capacity Security Safes	28
Accessories - 36" Wide	15	Card Swipe Security Safes	28
Lateral Fire Fires – 43" Deep	16	Security Safes	28
Accessories - 43" Wide	16	Depository Safe	28
Locking Options for Lateral Files	17	Cash Boxes/Key Boxes/Portable Security Boxes	29
Big Bolts Fire-Safe®	18	Gun Safes	29
Fire-Safe Safes	19	Fire-Resistant Gun Safes	29
Personal Fire Safes	19	Security Gun Safes	29
New Fire Safes	19	Information	30
Small Office/Home Office Fire Safes	19	Independent and Dual Control Locking Options	31
Executive Fire Safes	19	Color Options	32
Commercial Fire Safes	19		

ABOUT **SentrySafe**











As a world leader for over 80 years, SentrySafe has established itself as a respected security storage company in the industry. We are committed to delivering exceptional service and offer a complete line of innovative products, from small media fire chests up to large record cabinets, to suit all your business needs. Our total commitment makes it easy to do business with SentrySafe.



LOOK FOR THESE ICONS TO DETERMINE WHICH SAFE IS RIGHT FOR YOU:



WATER

Water Protection. Many SentrySafe products have been tested by the independent testing firm ETL Semko to ensure protection from flood and other water damage.



FIRE

Fire Protection. Our products undergo rigorous fire testing from independent Underwriters Laboratory (UL) and depending on the model, have been rated for up to 2 full hours of fire protection.



SECURITY

Security. SentrySafe offers several options for keeping business documents, deposits, and other materials secure. Look for security features such as pry-resistant hinge bars, 60% larger bolts, Medeco® security locks, bolt-down hardware, and more to keep your vital information protected.



FEATURES THAT KEEP YOUR BUSINESS SAFE:

EXPLOSION

Explosion. Many SentrySafe files and safes are classified to pass a UL Explosion Hazard Test. The test ensures products will not explode when subjected to the extreme temperature of 2000°F (1093°C) for 20 minutes.



IMPACT

Impact Testing. During a fire, a safe may fall several stories. Keep vital business documents protected by choosing a safe that has undergone third party verified impact testing.



DIGITAL MEDIA

Digital Media Protection. SentrySafe Fire-Safe® products are verified to protect CDs, DVDs, Memory Sticks and USB drives—so important documents are protected from fire damage whether they are stored digitally or as a hard copy.



WATER SPRAY

Water Spray. Many offices are equipped with sprinklers in case of a fire. Make sure your Fire-Safe files are protected from fire and water spray.



THE GUARDIAN™ STORAGE BOX

Choose the Storage Box that offers you more.

Choose Guardian.









- ETL Verified fire and water protection
- Designed to hold both letter and legal size paper
- Stack up to 3 high for convenient storage in limited space
- Latches secure lid in place to keep valuables safe from environmental damage

Traditional cardboard file boxes leave you vulnerable to fire and flood.



		Overall Dimensions			A Ob	Committee					Stackable	Sizo
	Model Number	Height in.	Width in.	Deep in.	Approx. Shipping Weight (lbs.)	Capacity cu. ft.	MSRP	Water Resistant ETL Verified	ETL Fire Protection	Latches	Stackable	Size
NEW	GB20L	15.8	12.6	19.8	20	1.04	\$159.99	Х	20 min.	2	3 high	Letter/Legal



VERTICAL WATER-RESISTANT FIRE FILES 21" DEEP











- UL Classified 1-hour fire endurance to protect documents and valuable records
- ETL Verified for 1-hour fire protection of CDs, DVDs, Memory Sticks and USB Drives in the event of a fire
- ETL Verified water protection against sprinkler water spray exposure
- **UL Classified Explosion Resistant**

Patent pending inner core lining protects documents.



			Overall Dimensions								
	Model Number	No. Drawers	Height in.	Width in.	Deep in.	Approx. Shipping Weight (lbs.)	MSRP	Water Resistant ETL Verified	Fire Protection UL Classified; ETL Verified Media	Privacy Key Lock	Explosion UL Class
NEW	4B2100	4 drawer letter/legal	55.5	18.25	21	334	\$1,339	Х	1-hour UL & ETL	Х	Х
NEW	2B2100	2 drawer letter/legal	27.75	18.25	21	167	\$928	Х	1-hour UL & ETL	Х	Х



VERTICAL FIRE FILES 23" DEEP



		Overall Dimensions							
Model Number	No. Drawers	Height in.	Width in.	Deep in.	Approx. Shipping Weight (lbs.)	MSRP	Fire UL Class 350	Privacy Key Lock	Explosion UL Class
6000	2 letter/legal	28	17.3	23.3	172	\$722	1-hour	Flat Key	χ
6000B	2 letter/legal	28	17.3	23.3	172	\$722	1-hour	Flat Key	χ

A. Drawer size is 9.5" high x 12" wide x 18" deep inside. (1.2 cu. ft.)
B. Drawers are letter size, and feature high drawer sides to allow the consumer the convenient flexibility of filing legal size files side-to-side or letter size files front to back.
C. Available colors - 6000 is Putty, and 6000B is Black.



VERTICAL WATER-RESISTANT FIRE FILES WITH DIGITAL MEDIA CHEST 25" DEEP



									6 118 A		
		Overall Dimensions				Water		Samita			
Model Number	No. Drawers	Height in.	Width in.	Deep in.	Approx. Shipping Weight (lbs.)	MSRP	Water ETL Verified	Fire UL Class 350	Security Key Lock	Explosion UL Class	Impact UL Class 30 ft.
4T2531 with digital media chest	4 drawer letter	53.63	16.63	25	486	\$3,323.00	Х	1-hour	Medeco®	Х	Х
2T2531 with digital media chest	2 drawer letter	27.56	16.63	25	278	\$2,121.00	Х	1-hour	Medeco®	Х	Х
4G2531 with digital media chest	4 drawer legal	53.63	19.63	25	537	\$3,397.00	Х	1-hour	Medeco®	Х	Х
2G2531 with digital media chest	2 drawer legal	27.56	19.63	25	308	\$2,166.00	Х	1-hour	Medeco®	Х	Х

VERTICAL WATER-RESISTANT FIRE FILES WITH DIGITAL MEDIA CHEST 31" DEEP



										- 3	
		0ve	Overall Dimensions		Approx. Shipping		Water	Fire	Security	Explosion	Impact
Model Number	No. Drawers	Height in.	Width in.	Deep in.	Weight (lbs.)	MSRP	ETL Verified	UL Class 350	Key Lock	UL Class	UL Class 30 ft.
4T3131 with digital media chest	4 drawer letter	53.63	16.63	31	583	\$4,037	Х	1-hour	Medeco®	Х	Х
3T3131 with digital media chest	3 drawer letter	40.59	16.63	31	470	\$3,728	Х	1-hour	Medeco®	Х	Х
2T3131 with digital media chest	2 drawer letter	27.56	16.63	31	338	\$2,631	Х	1-hour	Medeco®	Х	Х
4G3131 with digital media chest	4 drawer legal	53.63	19.63	31	638	\$4,140	Х	1-hour	Medeco®	Х	Х
3G3131 with digital media chest	3 drawer legal	40.59	19.63	31	520	\$3,804	Х	1-hour	Medeco®	Х	Х
2G3131 with digital media chest	2 drawer legal	27.56	19.63	31	361	\$2,704	Х	1-hour	Medeco®	Х	Х

A. All **letter** size drawers are 10.3" high x 12.1" wide x 26" deep inside. (1.9 cu. ft.)

B. All **legal** size drawers are 10.3" high x 15.1" wide x 26" deep inside. (2.3 cu. ft.)

C. **Legal** size drawers are slotted to allow the consumer the convenient flexibility of using either legal, A-4, folio, or letter size hanging folders. Hanging folder bars are included as a standard feature. **NOTE:** For a complete listing of interior accessories please refer to page 8.



LOCK OPTIONS FOR VERTICAL WATER-RESISTANT FIRE FILES 25" & 31" DEEP



Medeco® high security UL listed key lock



Combination lock, Group 2



Combination lock, Group 1R



Combination lock, Group 2 with key locking dial



Combination lock, Digital

	Letter	Size Files	Legal S	ize Files
Description	Part No.	List Price	Part No.	List Price
Medeco [®] high security UL listed key lock	Standard	N/C	Standard	N/C
Combination lock, Group 2 (see note 4)	513496	\$259	513499	\$259
Combination lock, Group 1R (x-ray and manipulation proof) (see note 4)	513497	\$492	513510	\$492
Combination lock, Group 2 with key locking dial (see note 4)	513498	\$259	513511	\$259
Additional plunger lock on any lower drawer for independent control (see note 3)	513512	\$48	513513	\$48
Combination lock, Digital (see note 4)	513515	\$558	513514	\$558
Dual Control Locking Options				
Additional plunger lock on any lower drawer for dual control (see notes 1 and 2)	513688	\$48	513687	\$48
Combination lock, Group 2 with key locking dial (see notes 2 and 4)	513498	\$259	513511	\$259

NOTES: 1. Additional plunger lock(s) can only be used as a dual control option along with the use of Medeco® lock on the top drawer of the cabinet.

- 2. Dual control locking options require both locks to be engaged or disengaged before securing or allowing access to any drawer.
- 3. Independent control locking option allows for drawers that are secured and accessed independently of the other(s).
- 4. When a combination lock is installed on the top drawer of a water-resistant file, it replaces the standard Medeco® key lock.

For more detailed illustrations of independent and dual control locking options, please refer to The Locking Configuration Options Guide on page 31.




VERTICAL FIRE FILES 25" DEEP



									F15-109	
		Overall Dimensions								
Model Number	No. Drawers	Height in.	Width in.	Deep in.	Approx. Shipping Weight (lbs.)	MSRP	Fire UL Class 350	Security Key Lock	Explosion UL Class	Impact UL Class 30 ft.
4T2510	4 drawer letter	53.63	16.63	25	471	\$3,067.00	1-hour	Plunger	Х	Х
2T2510	2 drawer letter	27.56	16.63	25	263	\$1,975.00	1-hour	Plunger	Х	Х
4G2510	4 drawer legal	53.63	19.63	25	522	\$3,092.00	1-hour	Plunger	Х	Х
2G2510	2 drawer legal	27.56	19.63	25	293	\$2,047.00	1-hour	Plunger	Х	Х
4T2500	4 drawer letter	53.63	16.63	25	380	\$2,878.00	1-hour	Plunger	Х	
2T2500	2 drawer letter	27.56	16.63	25	220	\$1,936.00	1-hour	Plunger	Х	
4G2500	4 drawer legal	53.63	19.63	25	443	\$2,955.00	1-hour	Plunger	Х	
2G2500	2 drawer legal	27.56	19.63	25	250	\$1,955.00	1-hour	Plunger	Х	

A. All **letter** size drawers are 10.3" high x 12.1" wide x 20" deep inside. (1.4 cu. ft.) B. All **legal** size drawers are 10.3" high x 15.1" wide x 20" deep inside. (1.8 cu. ft.)

ACCESSORIES FOR LETTER VERTICAL FIRE FILES 25" DEEP




A. Card and Check Trays fit sideways into vertical file drawers. Lower level trays rest on the bottom of drawer.

		Installed		Shipped Separate				
Description	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price + Shipping		
Moveable divider, letter size, 1/dr.	Standard	N/A	N/C	508906	2	\$20		
Hanging folder bars, 1 set/dr.	Standard	N/A	N/C	508938	1	\$32		
Follower block, letter size, 1/dr.	508942	3	\$26	508944	3	\$32		
Trays								
4 x 9 checks, lower, 2/dr., stackable	509602	4	\$86	509638	4	\$110		
4 x 9 checks, upper, 2/dr., stackable	509603	4	\$86	509639	4	\$110		
3 x 5 cards, lower, 3/dr., stackable	509604	3	\$86	509640	3	\$110		
3 x 5 cards, upper 3/dr., stackable	509605	3	\$86	509641	3	\$110		
5 x 8 cards, lower, 2/dr., non-stackable	509608	4	\$92	509644	4	\$116		
5 x 8 cards, upper, 2/dr., non-stackable	509609	4	\$92	509645	4	\$116		

C. Legal size drawers are slotted to allow the consumer the convenient flexibility of using either legal, A-4, folio, or letter size hanging folders. Hanging folder bars are included as a standard feature.



ACCESSORIES FOR LEGAL VERTICAL FIRE FILES 25" DEEP



A. Card and Check Trays fit sideways into vertical file drawers. Lower level trays rest on the bottom of drawer.

		Installed		Shipped Separate			
Description	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price + Shipping	
Moveable divider, legal size, 1/dr.	Standard	N/A	N/C	508905	2	\$20	
Hanging folder bars, 1 set/dr.	Standard	N/A	N/C	508938	1	\$32	
Follower block, legal size, 1/dr.	508941	4	\$26	508943	4	\$32	
Trays							
4 x 9 checks, lower, 2/dr., stackable	509536	4	\$86	509569	4	\$110	
4 x 9 checks, upper, 2/dr., stackable	509537	4	\$86	509570	4	\$110	
3 x 5 cards, lower, 3/dr., stackable	509538	3	\$86	509571	3	\$110	
3 x 5 cards, upper 3/dr., stackable	509539	3	\$86	509572	3	\$110	
5 x 8 cards, lower, 2/dr., non-stackable	509542	4	\$92	509575	4	\$116	
5 x 8 cards, upper, 2/dr., non-stackable	509543	4	\$92	509576	4	\$116	



VERTICAL FIRE FILES 31" DEEP






			Overall Dimension	S						
Model Number	No. Drawers	Height in.	Width in.	Deep in.	Approx. Shipping Weight (lbs.)	MSRP	Fire UL Class 350	Security Key Lock	Explosion UL Class	Impact UL Class 30 ft.
4T3120	4 drawer letter	54.63	17.63	31.5	740	\$4,849	2-hour	Plunger	Х	Х
4G3120	4 drawer legal	54.63	20.63	31.5	800	\$4,929	2-hour	Plunger	Х	Х
4T3110	4 drawer letter	53.63	16.63	31	568	\$3,681	1-hour	Plunger	Х	Х
3T3110	3 drawer letter	40.59	16.63	31	455	\$3,404	1-hour	Plunger	Х	Х
2T3110	2 drawer letter	27.56	16.63	31	323	\$2,402	1-hour	Plunger	Х	Х
4G3110	4 drawer legal	53.63	19.63	31	623	\$3,777	1-hour	Plunger	Х	Х
3G3110	3 drawer legal	40.59	19.63	31	505	\$3,542	1-hour	Plunger	Х	Х
2G3110	2 drawer legal	27.56	19.63	31	346	\$2,486	1-hour	Plunger	Х	Х
4T3100	4 drawer letter	53.63	16.63	31	450	\$3,561	1-hour	Plunger	Х	
3T3100	3 drawer letter	40.59	16.63	31	360	\$3,284	1-hour	Plunger	Х	
2T3100	2 drawer letter	27.56	16.63	31	250	\$2,338	1-hour	Plunger	Х	
4G3100	4 drawer legal	53.63	19.63	31	500	\$3,647	1-hour	Plunger	Х	
3G3100	3 drawer legal	40.59	19.63	31	400	\$3,340	1-hour	Plunger	Х	
2G3100	2 drawer legal	27.56	19.63	31	280	\$2,421	1-hour	Plunger	Х	

A. All **letter** size drawers are 10.3" high x 12.1" wide x 26" deep inside. (1.9 cu. ft.)
B. All **legal** size drawers are 10.3" high x 15.1" wide x 26" deep inside. (2.3 cu. ft.)
C. **Legal** size drawers are slotted to allow the consumer the convenient flexibility of using either legal, A-4, folio, or letter size hanging folders. Hanging folder bars are included as a standard feature.



ACCESSORIES FOR LETTER VERTICAL FIRE FILES

31" DEEP




A. Card and Check Trays fit sideways into vertical file drawers.
Lower level trays rest on the bottom of drawer.

^{*}To achieve capacity listed, removal of the follower block may be necessary

		Installed			e	
Description	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price + Shipping
Follower block, letter size, 1/dr.	Standard	N/A	N/C	508944	3	\$32
Hanging folder bars, 1 set/dr.	Standard	N/A	N/C	509025	1	\$34
Moveable divider, letter size, 1/dr.	508934	N/A	\$17	508906	2	\$20
Caster base, letter size, 31" deep, adds 2 5/8" to height	509069	20	\$234	509073	20	\$264
Caster base, letter size, 31.5" deep, adds 2 5/8" to height	509101	20	\$250	509103	20	\$278
Trays						
4 x 9 checks, lower, 2/dr., stackable	509602	4	\$86	509638	4	\$110
4 x 9 checks, upper, 2/dr., stackable	509603	4	\$86	509639	4	\$110
3 x 5 cards, lower, 4/dr., stackable	509604	3	\$86	509640	3	\$110
3 x 5 cards, upper 4/dr., stackable	509605	3	\$86	509641	3	\$110
5 x 8 cards, lower, 3/dr., non-stackable*	509608	4	\$92	509644	4	\$116
5 x 8 cards, upper, 3/dr., non-stackable*	509609	4	\$92	509645	4	\$116

ACCESSORIES FOR LEGAL VERTICAL FIRE FILES

31" DEEP



A. Card and Check Trays fit sideways into vertical file drawers.
 Lower level trays rest on the bottom of drawer.

^{*}To achieve capacity listed, removal of the follower block may be necessary

		Installed			Shipped Separa	ite
Description	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price + Shipping
Follower block, legal size, 1/dr.	Standard	N/A	N/C	508943	4	\$32
Hanging folder bars, 1 set/dr.	Standard	N/A	N/C	509025	1	\$34
Moveable divider, legal size, 1/dr.	508933	N/A	\$17	508905	2	\$20
Caster base, legal size, 31" deep, adds 2 5/8" to height	509068	21	\$250	509072	21	\$278
Caster base, legal size, 31 1/2" deep, adds 2 5/8" to height	509102	21	\$264	509104	21	\$293
Trays						
4 x 9 checks, lower, 2/dr., stackable	509536	4	\$86	509569	4	\$110
4 x 9 checks, upper, 2/dr., stackable	509537	4	\$86	509570	4	\$110
3 x 5 cards, lower, 4/dr., stackable	509538	3	\$86	509571	3	\$110
3 x 5 cards, upper, 4/dr., stackable	509539	3	\$86	509572	3	\$110
5 x 8 cards, lower, 3/dr., non-stackable*	509542	4	\$92	509575	4	\$116
5 x 8 cards, upper, 3/dr., non-stackable*	509543	4	\$92	509576	4	\$116



LOCK OPTIONS FOR VERTICAL FIRE FILES 25" AND 31" DEEP



Plunger lock on top drawer (controls all drawers)



Medeco® high security UL listed key lock



Combination lock. Combination lock. Group 2 Group 1R



Combination lock. Group 2 with key locking dial



Combination lock, Digital

	Letter S	ize Files	Legal Size Files		
Description	Part No.	Suggested List Price	Part No.	Suggested List Price	
Plunger lock on top drawer (controls all drawers)	Standard	N/C	Standard	N/C	
Medeco [®] high security UL listed key lock (see note 4)	509465	\$118	509464	\$118	
Combination lock, Group 2 (see note 4)	509089	\$259	509092	\$259	
Combination lock, Group 1R (x-ray and manipulation proof) (see note 4)	509090	\$492	509093	\$492	
Combination lock, Group 2 with key locking dial (see note 4)	509091	\$259	509094	\$259	
Additional plunger lock on any lower drawer for independent control (see note 3)	509064	\$48	509067	\$48	
Combination lock, Digital (see note 4)	509124	\$558	509123	\$558	
Dual Control Locking Options					
Additional plunger lock on any lower drawer for dual control (see notes 1 and 2)	509063	\$48	509062	\$48	
Combination lock, Group 2 with key locking dial (see notes 2 and 4)	509091	\$259	509094	\$259	

NOTES: 1. Additional plunger lock(s) can only be used as a dual control option along with the use of plunger lock on the top drawer of the cabinet.

2. Dual control locking options require both locks to be engaged or disengaged before securing or allowing access to any drawer.

- 3. Independent control locking option allows for drawers that are secured and accessed independently of the other(s).

 4. When a combination lock or Medeco® key lock is installed on the top drawer of a file, it replaces the standard Plunger lock.

For more detailed illustrations of independent and dual control locking options, please refer to The Locking Configuration Options Guide on page 31.



30" WIDE



		Overall Dimensions										
Model Number	No. Drawers	Height in.	Width in.	Deep in.	Approx. Shipping Weight (lbs.)	MSRP	Fire UL Class 350	Security Key Lock	Explosion UL Class	Impact UL Class 30 ft.		
4L3010	4	53.63	29.75	20.5	600	\$4,825	1-hour	Plunger	χ	χ		
3L3010	3	40.59	29.75	20.5	471	\$4,410	1-hour	Plunger	Х	Х		
2L3010	2	27.56	29.75	20.5	359	\$3,250	1-hour	Plunger	Х	X		

A. All 30" lateral drawers are 10.3" high x 25.2" wide x 15" deep inside (2.2 cu. ft.)

ACCESSORIES FOR LATERAL FIRE FILES



A. Hanger Bars Movable hanger bars for filing hanging file folders front to back.



B. Card and Check Trays fit sideways into vertical file drawers. Lower level trays rest on the bottom of drawer.



C. Drawer Back Insert shortens drawer depth from legal size to letter size for filing side to side.



D. Moveable Dividers provide support for manila folders, catalogs or binders.

	Description		Installed		Shipped Separate			
		Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price + Shipping	
	Hanger bars for filing hanging folders front to back (1/dr.)	Standard	N/A	N/C	509128	1	\$29	
	Trays							
er.	4 x 9 checks, lower, 2/dr., stackable	508961	4	\$86	508978	4	\$110	
	4 x 9 checks, upper, 2/dr., stackable	508962	4	\$86	508979	4	\$110	
n	3 x 5 cards, lower, 4/dr., stackable	508963	3	\$86	508980	3	\$110	
	3 x 5 cards, upper, 4/dr., stackable	508964	3	\$86	508981	3	\$110	
de	5 x 8 cards, lower, 3/dr., non-stackable	508967	4	\$92	508984	4	\$116	
	5 x 8 cards, upper, 3/dr., non-stackable	508968	4	\$92	508985	4	\$116	
	Drawer back insert for filing letter size side to side	508972	2.5	\$32	508989	2.5	\$41	
	Moveable divider (1)	508973	1	\$23	508990	1	\$26	

NOTE: See page 17 for lock options.

B. Hanging folder bars are included as a standard feature.



36" WIDE



	_						10000	THE RESERVE	ALCOHOL: NO.	
		Ove	Overall Dimensions							
Model Number	No. Drawers	Height in.	Width in.	Deep in.	Approx. Shipping Weight (lbs.)	MSRP	Fire UL Class 350	Security Key Lock	Explosion UL Class	Impact UL Class 30 ft.
4L3610	4	53.63	35.75	20.5	737	\$5,754	1-hour	Plunger	Х	Х
3L3610	3	40.59	35.75	20.5	584	\$5,234	1-hour	Plunger	Х	Х
2L3610	2	27.56	35.75	20.5	410	\$3,953	1-hour	Plunger	Х	Х
4L3600	4	53.63	35.75	20.5	633	\$5,635	1-hour	Plunger	Х	
3L3600	3	40.59	35.75	20.5	501	\$5,033	1-hour	Plunger	Х	
2L3600	2	27.56	35.75	20.5	352	\$3,797	1-hour	Plunger	Х	

NOTE: See page 17 for lock options.

ACCESSORIES FOR LATERAL FIRE FILES



A. Hanger Bars Movable hanger bars for filing hanging file folders front to back.



B. Card and Check Trays fit sideways into vertical file drawers. Lower level trays rest on the bottom of drawer.



C. Drawer Back Insert shortens drawer depth from legal size to letter size for filing side to side.



D. Moveable Dividers provide support for manila folders, catalogs or binders.

		Installed			Shipped Separ	ate
Description	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price + Shipping
Hanger bars for filing hanging folders front to back (2/dr.)	Standard	N/A	N/C	509128	1	\$29
Trays						
4 x 9 checks, lower, 3/dr., stackable	510646	4	\$86	509600	4	\$110
4 x 9 checks, upper, 3/dr., stackable	509567	4	\$86	509601	4	\$110
3 x 5 cards, lower, 5/dr., stackable	510647	3	\$86	510651	3	\$110
3 x 5 cards, upper, 5/dr., stackable	510648	3	\$86	510652	3	\$110
5 x 8 cards, lower, 3/dr., non-stackable	509562	4	\$92	509595	4	\$116
5 x 8 cards, upper, 3/dr., non-stackable	509568	4	\$92	513782	4	\$116
Drawer back insert for filing letter size side to side	510594	3	\$34	509303	3	\$44
Moveable divider (1)	509302	1	\$23	509305	1	\$26

NOTE: See page 17 for lock options.



43" WIDE



		Ove	rall Dimensions	5					200	
Model Number	No. Drawers	Height in.	Width in.	Deep in.	Approx. Shipping Weight (lbs.)	MSRP	Fire UL Class 350	Security Key Lock	Explosion UL Class	Impact UL Class 30 ft.
4L4310	4	53.63	43	20.5	845	\$6,925	1-hour	Plunger	Х	Х
3L4310	3	40.59	43	20.5	657	\$6,032	1-hour	Plunger	Х	Х
2L4310	2	27.56	43	20.5	543	\$4,284	1-hour	Plunger	Х	Х
4L4300	4	53.63	43	20.5	725	\$6,765	1-hour	Plunger	Х	
3L4300	3	40.59	43	20.5	564	\$5,894	1-hour	Plunger	Х	
2L4300	2	27.56	43	20.5	466	\$4,086	1-hour	Plunger	Х	

A. All 43" lateral drawers are 10.3" high x 38.4" wide x 15" deep inside (3.4 cu. ft.)

ACCESSORIES FOR LATERAL FIRE FILES



A. Hanger Bars Movable hanger bars for filing hanging file folders front to back.



B. Card and Check Trays fit sideways into vertical file drawers. Lower level trays rest on the bottom of drawer.



C. Drawer Back Insert shortens drawer depth from legal size to letter size for filing side to side.



D. Moveable Dividers provide support for manila folders, catalogs or binders.

			Installed		Shipped Separate			
	Description	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price + Shipping	
	Hanger bars for filing hanging folders front to back (2/dr.)	Standard	N/A	N/C	509128	1	\$29	
	Trays							
er.	4 x 9 checks, lower, 4/dr., stackable	509556	4	\$86	509589	4	\$110	
	4 x 9 checks, upper, 4/dr., stackable	509557	4	\$86	509590	4	\$110	
n	3 x 5 cards, lower, 7/dr., stackable	509558	3	\$86	509591	3	\$110	
	3 x 5 cards, upper, 7/dr., stackable	509559	3	\$86	509592	3	\$110	
de	5 x 8 cards, lower, 4/dr., non-stackable	509562	4	\$92	509595	4	\$116	
	5 x 8 cards, upper, 4/dr., non-stackable	509563	4	\$92	509596	4	\$116	
	Drawer back insert for filing letter size side to side	509301	3.5	\$36	509304	3.5	\$46	
	Moveable divider (1)	509302	1	\$23	509305	1	\$26	

NOTE: See page 17 for lock options.

B. Hanging folder bars are included as a standard feature.



LOCK OPTIONS FOR LATERAL FIRE FILES



Plunger lock on top drawer (controls all drawers)



Medeco® high security UL listed key lock

	43" Wi	de Files	36" Wi	de Files	30" Wide Files	
Description	Part No.	Suggested List Price	Part No.	Suggested List Price	Part No.	Suggested List Price
Plunger lock on top drawer (controls all drawers)	Standard	N/C	Standard	N/C	Standard	N/C
Additional plunger lock on any lower drawer for independent control (see note 3)	509066	\$48	509061	\$48	508958	\$48
Medeco® high security UL listed key lock (see note)	509466	\$118	509467	\$118	508959	\$118
Dual Control Locking Options						
Additional plunger lock on any lower drawer for dual control (see notes 1 $\&2)$	509065	\$48	509060	\$48	508957	\$48

NOTES: 1. Additional plunger lock(s) can only be used as a dual control option along with the use of a plunger lock on the top drawer of the cabinet.

2. Dual control locking options require both locks to be engaged or disengaged before securing or allowing access to any drawer.

3. Independent control locking option allows for drawers that are secured and accessed independently of the other(s).

For more detailed illustrations of independent and dual control locking options, please refer to The Locking Configuration Options Guide on page 31.

(A)SentrySafe

BIG BOLTS FIRE-SAFE®



60% Bigger Bolts.













- UL Classified Advanced Fire Protection
- ⇒ 4 Larger, 1 inch 60% Bigger Bolts
- UL Classified Explosion Resistant
- Pry-Resistant High Bar
- **■** ETL Verified 15 ft. Drop Test
- ETL Verified Water Resistant

FIRE-SAFE® SAFES





SFW123GDC WATER-RESISTANT FIRE SAFE

The SentrySafe Electronic Safe is designed to protect documents, digital media and other valuables from fire, water and theft. 60% bigger bolts than traditional safes and a pry-resistant hinge bar provide additional security against unauthorized access.



EF3428E COMMERCIAL FIRE SAFE

The SentrySafe EF3428E Fire-Safe has a suite of features that is sure to keep your important documents and valuables safe. Fire protection, water resistance and a programmable electronic lock provide reliable protection while organization features and carpeting keep contents damage-free during storage.

	Ove	rall Dimension	s					Fire Protection			
Model Number	Height in.	Width in.	Deep in.	Approx. Shipping Weight (lbs.)	Capacity cu. ft.	MSRP	Water ETL Verified	UL Class 350 or ETL Verified	Security Lock	Explosion UL Class	Impact Rating*
PERSONAL FIRE	SAFES			<u> </u>				'			
OS0810	13.7	16.3	19.3	84	0.8	\$362		1-Hour UL & ETL**	LCD Electronic/ Tubular Key	Х	15 feet
OS0401	13.7	16.3	19.3	82	0.8	\$279		1-Hour UL & ETL**	3# Combination/ Tubular Key	Х	15 feet
DS0200	13.7	16.3	19.3	82	0.8	\$225		1-Hour UL & ETL**	3# combination	Х	15 feet
NEW! FIRE SAFE	S										
DSW3930	17.8	16.3	19.3	101	1.2	\$650	Х	1-Hour UL & ETL**	Biometric Lock/ Tubular Key	Х	15 feet
SFW123GDC	17.8	16.3	19.3	99	1.23	\$397	Х	1-Hour UL & ETL**	LCD Electronic/ Tubular Key	Х	15 feet
SFW123DEB	17.8	16.3	19.3	99	1.23	\$335	Х	1-Hour UL & ETL**	Mechanical Combination/ Tubular Key	Х	15 feet
SFW123CS	17.8	16.3	19.3	99	1.23	\$278	Х	1-Hour UL & ETL**	Mechanical Combination	Х	15 feet
SMALL OFFICE/H	OME OFFICE FIR	RE SAFE									
*QE5541	23.8	18.6	19.3	211	2.0	\$950	Х	2-Hour UL & ETL**	LCD Electronic/ Tubular Key	Х	30 feet
OA5848	23.8	18.6	19.3	206	2.0	\$712	Х	2-Hour UL & ETL**	LCD Electronic/ Tubular Key	Х	30 feet
OS5449	23.8	18.6	19.3	156	2.0	\$630		1-Hour UL & ETL**	3# Combination/ Tubular Key	Х	30 feet
EXECUTIVE FIRE	SAFES										
EF4738E	37.7	21.7	19	217	4.7	\$983	Х	1/2-Hour ETL Fire	Programmable electronic & override key		
EF3428E	27.8	21.7	19	163	3.4	\$875	Х	1/2-Hour ETL Fire	Programmable electronic & override key		
EF3025E	25.2	21.7	19	153	3.0	\$844	Х	1/2-Hour ETL Fire	Programmable electronic & override key		
COMMERCIAL FII	RE SAFES										
S8771	47.6	25.4	23.9	639	5.8	\$2,158		1-Hour UL	Electronic with Key	Х	
S8371	47.6	25.4	23.9	639	5.8	\$1,953		1-Hour UL	Combination with Key	Х	
S7371	39.8	25.4	23.4	534	4.6	\$1,780		1-Hour UL	Combination with Key	Х	
S6770	34.5	20.5	22	352	3.0	\$1,491		1-Hour UL	Electronic with Key	χ	
S6370	34.5	20.5	22	352	3.0	\$1,351		1-Hour UL	Combination with Key	Х	

^{*} External USB port connects your laptop or desktop computer to any digital storage device, or small camera (USB 2.0 U-cable included). Convenient door pocket stores 2 1/2" hard drive which connects to the internal USB port.

^{**} ETL Verified fire protection for the digital media.



RECORD CABINETS FIRE AND IMPACT RESISTANT



	Ove	rall Dimensions										
Model Number	Height in.	Width in.	Deep in.	Height in.	Width in.	Deep in.	Approx. Shipping Weight (lbs.)	MSRP	Fire UL Class 350	Security Key Lock	Explosion UL Class	Impact UL Class 30 ft.
1856CN (B)	62.5	22.75	24	56	18.25	18	680	\$5,765	1-hour	Medeco®	Χ	Х
1816CN (A)	22.5	22.75	24	16	18.25	18	330	\$3,918	1-hour	Medeco®	Х	Х

A. Includes 1 flat locking drawer and 1 adjustable shelf as standard accessories. B. Includes 4 adjustable shelves as standard accessories.

ACCESSORIES FOR RECORD CABINETS

		Installed		Shipped Separate				
Description	Part No.	Approx. Shipping Weight (lbs.)	Approx. Shipping Weight (lbs.)	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price + Shipping		
Adjustable Shelf, additional	508098	5	\$103	508119	6	\$130		
Roll-out Shelf	508099	5	\$206	508120	6	\$259		
Flat Drawer, w/ key lock	508100	10	\$239	508121	11	\$299		
Legal Drawer, w/ key lock	508101	16	\$350	508122	17	\$440		
Non-swivel Caster Base (N/A for 1844CN or 1856CN) Height Required 1"				508109	16	\$301		

MEDIA CABINETS FIRE AND IMPACT RESISTANT



											6 118		
		Ove	rall Dimensio	ns	Interior Dimensions							2000	
Model Number	No. of Drawers/ Side Tab Units	Height in.	Width in.	Deep in.	Height in.	Width in.	Deep in.	Approx. Shipping Weight (lbs.)	MSRP	Fire UL Class 125	Security Key Lock	Explosion UL Class	Impact UL Class 30 ft.
1856CS+	8 drawers	62.5	22.75	24	50.5	12.75	13	806	\$12,135	1-hour	Medeco®	Х	Х
1856CTS	Empty	62.5	22.75	24	50.5	12.75	13	782	\$9,920	1-hour	Medeco®	Х	Х
1816CS+	2 drawers	22.5	22.75	24	10.5	12.75	13	356	\$5,769	1-hour	Medeco®	Х	Х
1816CTS	Empty	22.5	22.75	24	10.5	12.75	13	350	\$5,215	1-hour	Medeco®	Х	Х

NOTE: The CS+ models come only with a Medeco® key lock. Interior color options same as exterior, see available colors on last page of this catalog.



ACCESSORIES FOR MEDIA CABINETS




Adjustable Shelf is flat and adjusts at 1/4" intervals



Roll-Out Shelf extends completely on ball bearing suspension



Pull-Out Multi-Media Drawer can store all types of media



^{**} Please indicate color when ordering.

LOCK OPTIONS FOR RECORD AND MEDIA CABINETS



Medeco® Key lock



Combination Lock, Group 2, replaces standard key lock



Combination Lock, Digital, replaces standard key lock



Combination Lock, Group 2, for dual control w/ standard key lock



Combination Lock, Group 2, for dual control w/ standard key lock

		Installed		Shipped Separate				
Description	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price + Shipping		
Medeco® Key lock	Standard	N/A	N/C	508104	2	\$134		
Combination Lock, Group 2, replaces standard key lock	508084	2	\$144	508105	3	\$178		
Combination Lock, Digital, replaces standard key lock	508135	2	\$419	508138	3	\$594		
Combination Lock, Group 2, for dual control w/ standard key lock (see note)	508088	2	\$244	N/A	N/A	N/A		
Combination Lock, Digital, for dual control w/ standard key lock (see note)	508139	2	\$519	N/A	N/A	N/A		

NOTE: Dual control locking options require both locks to be engaged or disengaged before securing or allowing access.

A. Multi-media storage drawer can hold (276) 3.5" diskettes, (292) 5.25" diskettes, (57) 4MM cartridges, (36) 8MM cartridges, (36) .25" tape cassettes, (24) 3480 cartridges, (18) TK 50/70 cartridges, (64) 5.25" optical disks, (60) CDs/DVDs, or (13) .25" tape cartridges, (52) ZIP, (28) JAZ or a combination of the above.



RECORD SAFES

FIRE AND IMPACT RESISTANT



	Ove	rall Dimension	s	Inte	rior Dimensions	;	Approx. Shipping					
Model Number	Height in.	Width in.	Deep in.	Height in.	Width in.	Deep in.	Weight (lbs.)	MSRP	Fire UL Class 350	Security Combination Lock	Explosion UL Class	Impact UL Class 30 ft.
4068CN	77.25	47	31.75	68.25	40.38	23.5	1665	\$15,453	1-hour	Group 2	Х	X
2557CN	66.25	30.75	31.75	57.25	25.13	23.5	1025	\$9,149	1-hour	Group 2	Х	Х

- A. Overall width dimention includes 1" for hinge protection on single door safes and 2" for hinge protection on double door safes. B. Overall depth dimension includes 1.75" for handle projection.
- C. Casters do not swivel or lock.

ACCESSORIES FOR RECORD SAFES

Overall Dimensions: 5" H x 17.63" W x 17.1" D



1 flat drawer



1-12 x 16 locker

Overall Dimensions: 13.25" H x 17.63" W x 17.1" D



Legal file drawer



Adjustable Shelf is flat, measures 1.1" tall and adjusts at .25" intervals.

NOTE: When the above accessories are placed in the 2557CN and 4068CN model safes, a supporting shelf must be ordered at extra cost.

		Installed		Shipped Separate			
Description	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price + Shipping	
1 flat drawer*	508380	14	\$270	508375	14	\$339	
1 – 12 x 16 locker*	508383	18	\$339	508376	18	\$426	
1 legal file drawer with lock*	508385	30	\$529	508378	30	\$661	
Adjustable shelf							
25.1" wide safe	508523	20	\$74	508524	20	\$96	
40.4" wide safe	508526	29	\$189	508527	29	\$218	

^{*} Requires an adjustable shelf for support.

A. Accessories are all off-white.



EDP MEDIA SAFES

FIRE AND IMPACT RESISTANT



										(TIN)		
	Overall Dimensions Interior Dimensions											
Model Number	Height in.	Width in.	Deep in.	Height in.	Width in.	Deep in.	Approx. Shipping Weight (lbs.)	MSRP	Fire UL Class 125	Security Combination Lock	Explosion UL Class	Impact UL Class 30 ft.
MEDIA FIRE SAFES												
4068CTS	77.25	47	31.75	63	34	16.25	2100	\$23,234	1-hour	Group 2	Х	Х
2557CTS	66.25	30.75	31.75	52	19	16.25	1250	\$14,185	1-hour	Group 2	Х	Х

- A. Overall width dimention includes 1" for hinge protection on single door safes and 2" for hinge projection on double door safes.
- B. Overall depth dimension includes 1.75" for handle projection
- C. Model 2557CTS carries the UL Class 150° 1-hour label. Model 4068CTS carries the UL 125° 1-hour label.
- D. Casters do not swivel or lock
- E. Safe accessories are all off-white

ACCESSORIES FOR EDP MEDIA SAFES



Pull-Out Multi-Media Drawer can store all types of media.



Roll-Out Shelf extends completely on a ball-bearing suspension.



6.25" Trays are portable, and include one divider. Ideal for CD and DVD storage.

				Applies	to model		Installed		Shipped Separate			
	Description	Height Required in Inches	Capacity	4068CTS	2557CTS	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price + Shipping	
S	Pull-out multi-media storage drawer with dividers	Media height +.5		•		508609	27	\$575	508612	28	\$646	
					•	508610	16	\$345	508611	17	\$431	
	Cartridges	Х	25 reels		•	508452	2	\$103	508626	3	\$130	
	Roll-out shelf	Media height +.5		•		508602	14	\$244	508604	14	\$304	
					•	508504	10	\$228	508456	10	\$285	
	Adjustable shelf	Media height +.5		•		508601	11	\$123	508603	11	\$155	
					•	508503	4	\$118	508455	4	\$142	
	6.75" Tray (holds 166-5.25" diskettes,	/ OF" F"	5 trays/shelf	•		F00F00	0	# 100	F00F00	0	410 7	
	1320 - 4 x 6 microfiche, 35-5.25" optical disks, or 32 CDs/DVDs)	6.25" or 5"	3 trays/shelf*		•	508528	3	\$100	508529	29 3	\$124	

^{*} Applies to adjustable shelf only



LOCK OPTIONS FOR EDP MEDIA AND RECORD SAFES



Combination lock, Group 2



Combination lock, Group 1R (x-ray and manipulation proof)



Combination lock, Group 2 with key locking dial for dual control



Key locking handle for dual control



Combination lock, Digital

Description	Part No.	Suggested List Price
Combination lock, Group 2	Standard	N/C
Combination lock, Group 1R (x-ray and manipulation proof)	508289	\$519
Combination lock, Group 2 with key locking dial for dual control (see note)	508290	\$146
Key locking handle for dual control (see note)	508288	\$160
Key locking handle for dual control on 4068 CTS (see note)	508287	\$172
Combination lock, Digital	508372	\$339

NOTE: Dual control locking option requires both locks to be engaged or disengaged before securing or allowing access.



VAULT ROOM FIRE RESISTANT DOORS SPECIFY RIGHT OR LEFT SWING*



						0 140			
	Clear Doo	r Opening							
Model Number	Height in.	Width in.	Approx. Shipping Weight (lbs.)	MSRP	Fire UL Class 350	Security Combination Lock			
VAULT ROOM FIRE RESISTANT DOORS - specify right or l	eft swing								
V78406	78	40	1,147	\$13,010.00	6-Hour	Group II			
V78404	78	40	1,118	\$11,101.00	4-Hour	Group II			
V78402	78	40	1,100	\$10,293.00	2-Hour	Group II			
V78326	78	32	1,019	\$11,563.00	6-Hour	Group II			
V78324	78	32	990	\$9,531.00	4-Hour	Group II			
V78322	78	32	972	\$9,051.00	2-Hour	Group II			
FILE ROOM FIRE RESISTANT DOORS - specify right or left swing									
D78401	78	40	1,073	\$9,594.00	1-Hour	Group II			
D78321	78	32	945	\$8,607.00	1-Hour	Group II			

ACCESSORIES FOR INSULATED VAULT & FILE ROOM DOORS



Daygate



Auto Door Closer Inside



Auto Door Closer Outside

		Shipped with door			Shipped separat	е
Description	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price	Part No.	Approx. Shipping Weight (lbs.)	Suggested List Price + Shipping
*32" Plexi-glass day gate with key lock (left swing)	508828	175	\$1,564	508828	175	\$1,564
*32" Plexi-glass day gate with key lock (right swing)	508829	175	\$1,564	508829	175	\$1,564
*40" Plexi-glass day gate with key lock (left swing)	508826	185	\$1,638	508826	185	\$1,638
*40" Plexi-glass day gate with key lock (right swing)	508827	185	\$1,638	508827	185	\$1,638
Stainless steel hinge cover for 1- and 2-hour doors	508246	4	\$142	508274	4	\$176
Stainless steel hinge cover for 4- and 6-hour doors	Standard	N/A	N/C	508274	4	\$176
Automatic door closer, left swing doors	508367	34	\$2,259	508365	34	\$2,294
Automatic door closer, right swing doors	508364	34	\$2,259	508366	34	\$2,294

^{*} Please indicate color when ordering: Choice of tan, charcoal, gray or forest green textured finish.

DOOR SWING Door swing must be specified. Swing is determined by facing the door from outside the vault. Hinges on the right side denote a right swing; hinges on the left side denote a left swing. Swing of a day gate is determined in the same manner, facing the gate from inside the vault.



A. Right Swing Vault Door Left Swing Day Gate



B. Right Swing Vault Door Right Swing Day Gate



C. Left Swing Vault Door Right Swing Day Gate



D. Left Swing Vault Door Left Swing Day Gate



LOCK OPTIONS FOR INSULATED VAULT & FILE ROOM DOORS



Combination lock, Group 2



Combination lock, Group 1R (x-ray and manipulation proof)



Combination lock, Group 2 with key locking dial for dual control



Key locking handle for dual control

Description	Part No.	Suggested List Price
Combination lock, Group 2	Standard	N/C
Combination lock, Group 1R (x-ray and manipulation proof)	508252	\$503
Combination lock, Group 2 with key locking dial for dual control (see note)	508251	\$216
Combination lock, Digital	508280	\$404
Key locking handle for dual control (see note)	508627	\$232
Time lock, 2 movement, left swing	508255	\$2,867
Time lock, 2 movement, right swing	508253	\$2,867
Time lock, 3 movement, left swing	508256	\$3,087
Time lock, 3 movement, right swing	508254	\$3,087
1/4" Drill resistant lock plate	508276	\$86

NOTE: Dual control locking option requires both locks to be engaged or disengaged before securing or allowing access.



SentrySafe brings security home with a full line of safes specifically designed for families and home offices.Our advanced models provide state-of-the-art fire and water protection for your important documents and heirlooms. We've built our business on the values of Quality, Loyalty, Growth and Innovation.

PERSONAL FIRE CHESTS



F2300 WATERPROOF FIRE CHEST

The SentrySafe F2300 Waterproof Fire-Safe® Chest provides protection from the threats of fire and water It's convenient size makes it an ideal safe for protecting certificates, USB drives, CDs, business identification and other materials. A full-time spring latch seals the unit even when it is unlocked.

	Ove	rall Dimensions							
Model Number	Height in.	Width in.	Deep in.	Approx. Shipping Weight (lbs.)	MSRP	Water ETL Verified	Fire Protection; UL Class 350 Documents & ETL Verified Media	Privacy Lock	Explosion UL Class
PERSONAL FIRE CHESTS		`							
F2300	7.5	15.3	14.9	33	\$103	Х	1-Hour	Tubular Key	χ
H2300	7.5	15.3	14.9	27	\$89	Х	1/2-Hour	Tubular Key	Х
1160	6.3	15.3	12.1	19	\$69		1/2-Hour	Flat Key	Х
1100 Black	6.1	14.3	11	15	\$53		1/2-Hour	Flat Key	χ
0500	6.1	12.2	10.3	12	\$35		1/2-Hour	Flat Key	χ

PERSONAL FIRE FILES



H4100 Waterproof Fire File

Protection from fire and water for important business documents is yours with the SentrySafe Waterproof Fire-Safe® File. Able to accommodate letter-hanging file folders, this file keeps documents organized, protected and within easy reach.

Overall Dimensions								7	
Model Number	Height in. Width in. Deep in.		Approx. Shipping Weight (lbs.)	MSRP	Water ETL Verified	Fire Protection; UL Class 350 Documents & ETL Verified Media	Privacy Lock	Explosion UL Class	
PERSONAL FIRE FILES									
H4100	13.1	15.4	14.7	42	\$125	Х	1/2-Hour	Flat Key	Х
1170 Black	13.6	15.3	12.1	32	\$119		1/2-Hour	Flat Key	Х



SECURITY SAFES



HL100ES Card Swipe Safe

The SentrySafe HL10UES provides a flexible solution with a reprogrammable electronic lock that allows users the option of a keypad or card swipe entry. An interior LED light makes searching for important valuables and documents quick and easy. Ideal for hotel and tenant environments, the safe's solid steel construction, pry-resistant door and 2 live-locking bolts help protect against unauthorized access.



T8-331 Security Safe

Get reliable and proven protection with this high security safe. 5x larger than traditional safes, with a thicker door and 3 live-locking bolts help give valuable protection for irreplaceable items.

		Overall Dimensions		Approx. Shipping		Security		
Model Number	Description	Height in.	Width in.	Deep in.	Weight (lbs.)	MSRP	Lock	
LARGE CAPACITY SECURITY SAFES								
EQ1459E	Executive, 9.1 cu.ft.	59	21	17.8	190	\$1,025	Electronic	
EQ1459C	Combination, 9.1 cu. ft.	59	21	17.8	190	\$994	3# Combination	
T0-331	Electronic, 6.1 cu. ft.	37.7	21.7	19.8	240	\$750	Electronic with override key	
T8-331	Electronic, 4.3 cu. ft.	27.6	21.7	19.8	220	\$650	Electronic with override key	
T6-331	Electronic, 2.3 cu. ft.	24	15.4	16	118	\$450	Electronic with override key	
D888	Combination, 6.1 cu. ft.	37.7	21.7	19.5	240	\$988	UL Group 2 Combination	
D880	Combination, 4.3 cu. ft.	27.7	21.7	19.5	220	\$790	UL Group 2 Combination	
CARD SWIPE SECURITY SAFES								
HL100ES	1.1 cu. ft., Black or Cream	9	18	16	33	\$210	Electronic Card Access or Programmable	
H060ES	0.4 cu. ft., Black or Cream	7	15	11	22	\$175	Electronic Card Access or Programmable	
SECURITY SAFES								
X125	Electronic, 1.2 cu. ft.	10.6	16.9	14.6	30	\$215	Electronic with override key	
X105	Electronic, 1.0 cu. ft.	8.9	16.9	14.6	26	\$194	Electronic with override key	
X075	Electronic, 0.7 cu. ft.	7.1	16.9	14.6	23	\$163	Electronic with override key	
X055	Electronic, 0.5 cu. ft.	8.7	13.8	10.6	19	\$140	Electronic with override key	
X041E	Electronic, 0.4 cu. ft.	7.6	11.4	10.4	16.4	\$120.75	Electronic with override key	
X031	Key, 0.3 cu. ft.	6.6	11.4	10.4	12	\$100	6-lever key	
7150	Wall Safe	15.9	15.9	4.2	23	\$231	31 3# Combination and key	
7250	Floor Safe		9.6	15.7	32	\$295	4# Combination	
DEPOSITORY SAFES								
DH-134E	Front Loading Depository Safe	27	14	15.6	123	\$716	Programmable Electronic with time delay	
DH-109E	Front Loading Depository Safe	24	14	15.6	110	\$658	Programmable Electronic with time delay	
DH-074E	Front Loading Depository Safe	20	14	15.6	97	\$605	Programmable Electronic with time delay	
UC-039K	Under Counter Drop Slot Safe	12	8	10.3	30	\$184	Dual Key	
UC-025K	Under Counter Drop Slot Safe	8.5	6	12.3	21	\$147	Dual Key	

SentrySafe

CASH BOXES



DCB-1 CASH BOX
Removable tray provides versatile
storage and organization for cash,
checks and receipts. Key lock
helps keep contents private.

Model Number	Description	Overall Dimensions			Approx. Shipping	MSRP	Privacy	
		Height in. Width in.		Deep in.	Weight (lbs.)		Lock	
CASH BOXES								
DCB-1	Deluxe Cash Box	3.5	11.8	9.3	6	\$33	Flat Key	
CB-12	12" Cash Box	3.7	11.8	9.3	5	\$23	Flat Key	
CB-10	10" Cash Box	3.3	9.8	7.4	3	\$20	Flat Key	
KEY BOXES								
KB-50	50 Key Box	11.8	9.4	3.9	5	\$41	Flat Key	
KB-25	25 Key Box	9.8	7.4	3.3	3	\$32	Flat Key	
KDS-1	Drawersafe/Key Box	3.1	6.8	7	2	\$20	Flat Key	
PORTABLE SECURITY BOXES								
PL048E	Portable Electronic Laptop Safe	5.8	17.5	13.6	16	\$91	Programmable Electronic with override key	
ESB-3	Electronic Security Box	5.8	12.8	10.8	12	\$62	Programmable Electronic with override key	
POOSE	Compact Safe	2.9	10	7.9	4	\$44	Programmable Electronic with override key	
P005C	Compact Safe	2.6	5.9	8	2	\$25	3# Combination	
P005K	Compact Safe	2.6	5.9	8	2	\$25	Privacy key	

GUN SAFES



Dual locking capability using a combination lock and key provides added "peace of mind" security. This 14-gun safe is designed with a solid steel pry-resistant door and hardened steel plate. The carpeted interior protects firearms from scratching during storage.

		Overall Dimensions			A Objection			•			
Model Number	Gun Capacity	Height in.	Width in.	Deep in.	Approx. Shipping Weight (lbs.)	MSRP	Fire Protection ETL Verified	Security Lock	Finish		
FIRE-RESISTANT GUN SAFES											
GM3659E	36	59	38	26.7	611	\$1,617	1/2-Hour	Electronic with override key	Black powder coat matte		
GM2459C	24	59	28.3	24.2	472	\$1,277	1/2-Hour	3# Combination	Black powder coat matte		
GM1459E	14	59	21	17.8	170	\$1,112	1/2-Hour	Electronic with override key	Black powder coat matte		
SECURITY GUN SAFES											
G2459E	24	59	25	23	245	\$1,107		Electronic with override key	Black powder coat		
G1459DC	14	59	21	17.8	170	\$824		Dual 3# Combination & Security Key	Black powder coat		
G1459E	14	59	21	17.8	170	\$788		Electronic with override key	Black powder coat		
G1055E	10	55.1	17	16.3	132	\$664		Electronic with override key	Black powder coat		
G0135	5	55.1	12	11.5	72	\$389		8-lever with double bit key	Black powder coat		

NOTE: Dual control locking option requires both locks to be engaged or disengaged before securing or allowing access.

INFORMATION



ACCESSORIES:

All products are priced without accessory equipment, unless so stated. To obtain a total cost of product, add desired accessory cost(s) to price of product. Please specify by model number and quantity where they are to be installed.

DELIVERY SERVICES:

Delivery service are available anywhere withing the 48 contiguous states. All deliveries are Monday through Friday, 8 AM - 5 PM, "DOCK-TO-DOCK."

Special delivery services and delivery to locations outside the 48 contiguous states are available for an additional charge. Ask the SentrySafe representative for specific information when placing order.

Please note, failure to provide correct delivery information at the time of order will result in additional cost.



FREIGHT DAMAGE AND DISCREPANCY:

Merchanidise should be fully inspected upon receipt for evidence of damage or shortage before signing the delivery receipt. If damage or shortage is evident, it must be noted on the delivery receipt.

If external appearance does not indicate damage, but damage is discovered upon unpacking:

- 1) Save all packing materials.
- 2) Report concealed damagle whithin 7 days of delivery.
- a) For prepaid shipments, contact SentrySafe Consumer Affairs Department immediately. If product has been moved from point of delivery SentrySafe will not be responsible for any damage.
- b) For collect shipments, contact your carrier immediately to request inspection and reimbursement.

SenrySafe is not responsible for reimbursement when delivery receipts are signed clear of damage/discrepancy, or when concealed damage is reported after 7 days.



REQUEST FOR RETURN MERCHANDISE:

SentrySafe assumes no obligation to accept the return or provide credit for any unit damaged during installation unless installers are agents of SentrySafe.

SentrySafe assumes no obligation to accept the return or provide credit for merchandise which conforms to product specification within the warranty period. In the event that the merchandise does not conform, is defective, or if there are special circumstances which would reasonably require the return of merchandise, the dealer who ordered the merchandise must obtain return authorization by calling Order Entry for return authorization.

Return shipments will not be accepted or credited without a return authorization number. Returns will be subject to charges which may include the following:

- 1) Transportation Costs
- 2) Handling Charges
- 3) Refurbishing Costs
- 4) Restocking Fees

Return shipments must be properly packaged to prevent shipping damage. Any items returned with freight damage due to improper packaging will not be allowed for credit. Shipping costs for non-defective returns are the returnee's responsibility. SentrySafe will not accept return of specially made, factory-modified or discontinued products unless found to be defective and so reported within 30 days after receipt of merchandise. SentrySafe will not accept return of non-warranty product.

SentrySafe Warranty: Details of these warranties are available at www.sentrysafe.com

Changes: SentrySafe reserves the right to make changes at any time in regard to price, product specifications, stocking location and design without notice.

Customer Service & Technical Support: Keys, combinations and product functionality.


(Please provide model number, letter etched on the lock cylinder and serial number.)

1-800-428-7678

Order Entry:
Place order, tracking and shipping status

INDEPENDENT CONTROL LOCKING OPTIONS FOR VERTICAL AND LATERAL FIRE FILES






Independent control locking options allows for drawers that are secured and accessed **independently** of the other(s).

DUAL CONTROL LOCKING OPTIONS

FOR VERTICAL AND LATERAL FIRE FILES



Dual control locking options require **both** locks to be engaged or disengaged before securing or allowing access to **any** drawer.

*PLEASE NOTE: 1. Combination lock with a key locking dial can be used as a dual control option in and of itself in that BOTH locks must be opened before securing or allowing access to any drawer.

2. Configuration C is only available on vertical fire files.




COLOR OPTIONS

STANDARD COLORS:







Charcoal

VAULT DOORS

SPECIAL COLORS:

Special colors are available on files, record safes, media safes, vault and file room doors. When ordering a special color, please supply a 1 1/2 - 2 in. sample chip for matching. The cost for special colors will be based on the total quantity of products per special color per order. Minimum order quantity will apply.

PLEASE NOTE: These color representations are for your reference only. For more accurate colors, please refer to the SentrySafe Color Selector.

GUN SAFFS





www.sentrysafe.com

900 Linden Avenue | Rochester, NY 14625 Phone: 800-428-7678